

EURO

SAFETY FOOTWEAR

SINCE 2005

PRODUCT CATALOGUE





What makes EURO Safety Footwear superior?

COMFYtech insocks

All premium styles in the EURO range come standard with this superior insock (inner sole), maximising foot comfort for wearers that spend all day in their footwear.

Latex liners on toecaps

All EURO styles come standard with latex liners. Currently the only safety footwear in South Africa with this feature. Results in additional comfort and shock absorption in toe area.

Full grain leather uppers

Most EURO style uppers are manufactured using superior full grain leather uppers. Full grain leather is more durable than split leather and if cared for correctly, performs better in harsher work environments ie. outdoors, exposure to water, chemicals.

Soles

The EURO range offers some of the widest fitting toecaps on safety footwear which ensures additional wearer comfort. Euro soles are manufactured with the highest quality polyurethane raw materials available.

Specialised styles

EURO safety footwear is available in styles for use in specialised areas. Such features include, amongst others, 300 DEGREES HEAT RESISTANT/ METAL FREE/ COMPOSITE TOECAPS/ KEVLAR MIDSOLES etc.

All EURO styles are manufactured to EN20345 specifications which is your guarantee that you are purchasing a quality controlled product using only the best quality raw materials.

All EURO styles have been registered with the NRCS and comply with government legislation regarding safety footwear. Final registration numbers will appear on all EURO footwear once issued by the NRCS.



London Mould



Boston Mould



Vegas Mould

Munich Mould

ARMADILLO BOOT

CODE: 62-21537-S1

EN / ISO 20345: 2011 SRC



LIGHT
DUTY



SOLE INFORMATION

- ◆ Single density polyurethane (PU) sole
- ◆ Anti-static
- ◆ Oil resistant
- ◆ Excellent slip resistance, SRC highest rating
- ◆ Excellent abrasion resistance
- ◆ Heat resistant to 95 C
- ◆ Ladder grip on foot arch

UPPER

Genuine buffalo leather (split)
Padded tongue and collar for comfort
4 pairs of D-ring eyelets
Bellows tongue design to keep out dirt and foreign matter

LINING


Textile mesh, wicks perspiration away effectively
Quick dry

TOECAP

Steel toecap with latex liner for additional comfort

INSOCK

Moulded EVA with anti-static thread



Munich Mould



ARMADILLO SHOE

CODE: 62-11536-S1

EN / ISO 20345: 2011 SRC



LIGHT
DUTY



SOLE INFORMATION

Single density polyurethane(PU) sole

- Anti-static
- Oil resistant
- Excellent slip resistance, SRC highest rating
- Excellent abrasion resistance
- Heat resistant to 95 C
- Ladder grip on foot arch

UPPER

Genuine buffalo leather(split)

Padded tongue and collar for comfort

4 pairs of D-ring eyelets

Bellows tongue design to keep out dirt and foreign matter

LINING


Textile mesh, wicks perspiration away effectively
Quick dry

TOECAP

Steel toecap with latex liner for additional comfort

INSOCK

Moulded EVA with anti-static thread



Munich Mould



TITAN BOOT

CODE: 57-21420-S1

EN / ISO 20345: 2011 SRC




HEAVY
DUTY



SOLE INFORMATION

☛QHOO@ Sdbgmknkfx oqn♀kd

- SHOK Technology shock absorbing heel
- Double density polyurethane(PU) sole
- Anti-static
- Oil resistant
- Excellent slip resistance, SRC highest rating
- Excellent abrasion resistance
- Resistant to certain chemical products
- Lifted toe spring aids walking
- Self cleaning cleats
- Raised toe bumper for shock absorption



UPPER

Genuine full grain buffalo leather vamp
Padded tongue and collar for comfort
5 pairs of D-ring eyelets
Bellows tongue design to keep out dirt and foreign matter
Ghfg uhrhahkhsx qd♂dbshud ohohmf

LINING

Textile mesh, wicks perspiration away effectively
Quick dry

TOECAP

Steel toecap, with latex liner for additional comfort

INSOCK

Moulded EVA with antistatic thread



Vegas Mould



TITAN SMS BOOT

CODE: 57-21420-S1P

EN / ISO 20345: 2011 SRC




HEAVY
DUTY



SOLE INFORMATION

EQHOO@ Sdbgmknkfx oqn♀kd

- SHOK Technology shock absorbing heel
- Double density polyurethane(PU) sole
- Anti-static
- Oil resistant
- Excellent slip resistance, SRC highest rating
- Excellent abrasion resistance
- Resistant to certain chemical products
- Lifted toe spring aids walking
- Self cleaning cleats
- Raised toe bumper for shock absorption



UPPER

Genuine full grain buffalo leather vamp
Padded tongue and collar for comfort
5 pairs of D-ring eyelets
Bellows tongue design to keep out dirt
and foreign matter
Ghfg uhrhahkhsx qd♂dbshud ohohmf

LINING

Textile mesh, wicks perspiration away effectively
Quick dry

TOECAP

Steel toecap, with latex liner for
additional comfort

INSOCK

Moulded EVA with antistatic thread



Vegas Mould



TERMINATOR BOOT

CODE: 02-2974-S1

EN / ISO 20345: 2011 SRC



HEAVY
DUTY



SOLE INFORMATION

- ◆ SHOK Technology shock absorbing heel
- ◆ Double density polyurethane(PU) sole
- ◆ Anti-static
- ◆ Oil resistant
- ◆ Excellent slip resistance, SRC highest rating
- ◆ Excellent abrasion resistance
- ◆ Resistant to certain chemical products
- ◆ Lifted toe spring aids walking
- ◆ Self cleaning cleats
- ◆ Raised toe bumper for shock absorption



UPPER

Genuine quality split buffalo leather
Padded tongue and collar for comfort
5 pairs of round eyelets
Bellows tongue design to keep out dirt
and foreign matter
Ghfg uhrhahkhsx 2L qd♂dbshud s`od

LINING

Textile mesh, wicks perspiration away effectively
Quick-dry

TOECAP

Steel toecap, with latex liner for
additional comfort

INSOCK

Moulded EVA with antistatic thread

London Mould



DOMINATOR SHOE

CODE: 57-11419-S1

EN / ISO 20345: 2011 SRC




HEAVY
DUTY



SOLE INFORMATION

- FQHOO@ Sdbgmknkfx oqn♀kd
- SHOK Technology shock absorbing heel
- Double density polyurethane(PU) sole
- Anti-static
- Oil resistant
- Excellent slip resistance, SRC highest rating
- Excellent abrasion resistance
- Resistant to certain chemical products
- Lifted toe spring aids walking
- Self cleaning cleats
- Raised toe bumper for shock absorption



UPPER

Genuine full grain buffalo leather vamp
Padded tongue and collar for comfort
4 pairs of D-ring eyelets
Bellows tongue design to keep out dirt and foreign matter
Ghfg uhrhahkhsx qd♂dbshud ohohmf

LINING

Textile mesh, wicks perspiration away effectively
Quick-dry

TOECAP

Steel toecap, with latex liner for additional comfort

INSOCK

Moulded EVA with antistatic thread



Vegas Mould



SPORTS SHOE

CODE: 02-1118-S1

EN / ISO 20345: 2011 SRC




HEAVY
DUTY



SOLE INFORMATION

- ◆ SHOK Technology shock absorbing heel
- ◆ Double density polyurethane(PU) sole
- ◆ Anti-static
- ◆ Oil resistant
- ◆ Excellent slip resistance, SRC highest rating
- ◆ Excellent abrasion resistance
- ◆ Resistant to certain chemical products
- ◆ Lifted toe spring aids walking
- ◆ Self cleaning cleats
- ◆ Raised toe bumper for shock absorption



UPPER

Mix of full grain and premium suede
Padded tongue and collar for comfort
4 fabric eyelet loops
Bellows tongue design to keep out dirt
and foreign matter
Metal free outer upper

LINING

Textile mesh, wicks perspiration away effectively
Quick-dry

TOECAP

Steel toecap, with latex liner for
additional comfort

INSOCK

Moulded EVA with antistatic thread



London Mould



EPIC CHELSEA BOOT

CODE: 53-21423-SIP

EN / ISO 20345: 2011 SRC



HEAVY
DUTY




METAL
FREE
STYLE



SOLE INFORMATION

- FQHOO@ Sdbgmknkfx oqn♀kd
- SHOK Technology shock absorbing heel
- Double density polyurethane(PU) sole
- Anti-static
- Oil resistant
- Excellent slip resistance, SRC highest rating
- Excellent abrasion resistance
- Resistant to certain chemical products
- Lifted toe spring aids walking
- Self cleaning cleats
- Raised toe bumper for shock absorption



UPPER

Superior full grain waxy leather Chelsea Boot style
No laces for easy wear and removal
Qdhmenqbd c otkk s`ar sn `rrhrs vhs g ♀sshmf
Dk`rshb`sd c enq d`rx ♀s
METAL FREE style

LINING

Textile mesh, wicks perspiration away effectively
Quick dry

TOECAP

Composite toecap with latex liner for additional comfort. Lighter, non-metallic & conducts less heat than steel toecap

INSOCK

COMFYtech construction with "memory" keeping shape and comfort



Vegas Mould



ENDURE HI BOOT

CODE: 53-21467-S3

EN / ISO 20345: 2011 SRC



HEAVY
DUTY




METAL
FREE
STYLE



SOLE INFORMATION

- SHOK Technology shock absorbing heel
- Double density polyurethane(PU) sole
- Anti-static
- Oil resistant
- Excellent slip resistance, SRC highest rating
- Excellent abrasion resistance
- Resistant to certain chemical products
- Lifted toe spring aids walking
- Self cleaning cleats
- Raised toe bumper for shock absorption



UPPER

Superior Full grain waxy leather. Metal free eyelets. Padded bellows tongue. Padded collar. Stylish design

LINING

Textile mesh, wicks perspiration away effectively Quick-dry

TOECAP

Composite toecap, with latex liner for additional comfort. Lighter, non-metallic & conducts less heat than steel toecap

INSOCK

COMFYtech construction with “memory” keeping shape and comfort



Vegas Mould



ENDURE LO SHOE

CODE: 53-11466-S3

EN / ISO 20345: 2011 SRC



HEAVY
DUTY




METAL
FREE
STYLE



SOLE INFORMATION

- ◆ SHOK Technology shock absorbing heel
- ◆ Double density polyurethane(PU) sole
- ◆ Anti-static
- ◆ Oil resistant
- ◆ Excellent slip resistance, SRC highest rating
- ◆ Excellent abrasion resistance
- ◆ Resistant to certain chemical products
- ◆ Lifted toe spring aids walking
- ◆ Self cleaning cleats
- ◆ Raised toe bumper for shock absorption



UPPER

Superior Full grain waxy leather. Metal free eyelets. Padded bellows tongue. Padded collar. Stylish design

LINING

Textile mesh, wicks perspiration away effectively Quick-dry

TOECAP

Composite toecap, with latex liner for additional comfort. Lighter, non-metallic & conducts less heat than steel toecap.

INSOCK

COMFYtech construction with "memory" keeping shape and comfort



Vegas Mould



LAVA HI BOOT

CODE: 39-21427-S1

EN / ISO 20345: 2011 SRC HRO



HEAVY
DUTY



HEAT
RESISTANT
STYLE



SOLE INFORMATION

GRIPPA Technology profile

- SHOK Technology shock absorbing heel
- Double density PU/Rubber sole
- Anti-static
- Oil resistant
- Excellent slip resistance, SRC highest rating
- Excellent abrasion resistance
- Resistant to certain chemical products
- Lifted toe spring aids walking
- Self cleaning cleats
- Raised toe bumper for shock absorption



UPPER

Superior full grain waxy leather
Combination 4 round eyelets & 2 D-rings
Padded bellows tongue
Padded collar
Stylish design
Higher collar for better support & protection

LINING

Textile mesh, wicks perspiration away effectively
Quick dry

TOECAP


Steel toecap with latex liner for additional comfort

INSOCK

COMFYtech construction with "memory" keeping shape and comfort



Boston Mould



LAVA LO SHOE

CODE: 39-11426-S1

EN / ISO 20345: 2011 SRC HRO



HEAVY
DUTY




HEAT
RESISTANT
STYLE



SOLE INFORMATION

- ◆ FQHOO@ Sdbgmknfx oqn♀kd
- ◆ SHOK Technology shock absorbing heel
- ◆ Double density PU/Rubber sole
- ◆ Anti-static
- ◆ Oil resistant
- ◆ Heat resistant to 300 C
- ◆ Excellent slip resistance, SRC highest rating
- ◆ Excellent abrasion resistance
- ◆ Resistant to certain chemical products
- ◆ Lifted toe spring aids walking
- ◆ Self cleaning cleats
- ◆ Raised toe bumper for shock absorption



UPPER

Superior full grain waxy leather
4 pairs round eyelets
Padded bellows tongue
Padded collar
Stylish design

LINING

Textile mesh, wicks perspiration away effectively
Quick dry

TOECAP

Steel toecap with latex liner for additional comfort

INSOCK

COMFYtech construction with "memory" keeping shape and comfort



Boston Mould



SPIRIT HIKER BOOT

CODE: 38-21437-S1

EN ISO20345:2011 SRC



HEAVY
DUTY



SOLE INFORMATION

- ◆ FQHOO@ Sdbgmknknfx oqn♀kd
- ◆ SHOK Technology shock absorbing heel
- ◆ Double density polyurethane(PU) sole
- ◆ Anti-static
- ◆ Oil resistant
- ◆ Excellent slip resistance, SRC highest rating
- ◆ Excellent abrasion resistance
- ◆ Resistant to certain chemical products
- ◆ Lifted toe spring aids walking
- ◆ Self cleaning cleats
- ◆ Raised toe bumper for shock absorption



UPPER

Superior full grain waxy leather
Premium metallic riveted eyelets with lace hooks on collar
Padded bellows tongue & collar
Lower collar for better joint movement & less foot fatigue

LINING


Textile mesh, wicks perspiration away effectively
Quick dry

TOECAP

Steel toecap with latex liner for additional comfort

INSOCK

COMFYtech construction with "memory" keeping shape and comfort



Boston Mould

MOJO HIKER SHOE

CODE: 38-11436-S1

EN / ISO 20345: 2011 SRC




HEAVY
DUTY



SOLE INFORMATION

- GRIPPA Technology profile
- SHOK Technology shock absorbing heel
- Double density polyurethane(PU) sole
- Anti-static
- Oil resistant
- Excellent slip resistance, SRC highest rating
- Excellent abrasion resistance
- Resistant to certain chemical products
- Lifted toe spring aids walking
- Self cleaning cleats
- Raised toe bumper for shock absorption



UPPER

Superior full grain waxy leather
Premium metallic riveted eyelets with lace hooks on collar
Padded bellows tongue & collar

LINING

Textile mesh, wicks perspiration away effectively
Quick dry

TOECAP

Steel toecap with latex liner for additional comfort

INSOCK

COMFYtech construction with “memory” keeping shape and comfort



Boston Mould



DOUBLE BUCKLE WELDERS BOOT

CODE: 39-21573-S1

EN / ISO 20345: 2011 SRC HRO



HEAVY
DUTY




HEAT
RESISTANT
STYLE



SOLE INFORMATION

☛QHOO@ Sdbgmknkfx oqn♀kd

- SHOK Technology shock absorbing heel
- Double density PU/Rubber sole
- Anti-static
- Oil resistant
- Excellent slip resistance, SRC highest rating
- Excellent abrasion resistance
- Resistant to certain chemical products
- Lifted toe spring aids walking
- Self cleaning cleats
- Raised toe bumper for shock absorption



UPPER

Superior full grain leather
Kd'sgdq ♂'o vhsq cntakd atbjkd bknrtqd
Padded collar
Padde tongue

LINING

Textile mesh, wicks perspiration away effectively
Quick dry

TOECAP

Steel toecap with latex liner for additional comfort

INSOCK

COMFYtech construction with "memory" keeping shape and comfort



Boston Mould



PREMIUM VELCRO WELDERS BOOT


CODE: 39-21554-S1

EN / ISO 20345: 2011 SRC HRO

SOLE INFORMATION

☛QHOO@ Sdbgmknkfx oqn♀kd

- SHOK Technology shock absorbing heel
- Double density PU/Rubber sole
- Anti-static
- Oil resistant
- Excellent slip resistance, SRC highest rating
- Excellent abrasion resistance
- Resistant to certain chemical products
- Lifted toe spring aids walking
- Self cleaning cleats
- Raised toe bumper for shock absorption



HEAVY
DUTY



HEAT
RESISTANT
STYLE



UPPER

Superior full grain leather

O`ccdc kd`sgdq ♂`o vhsq udkbqn e`rsdmdq

Padded collar

Extra height for ankle support

Flame retardant ARAMID thread

LINING

Textile mesh, wicks perspiration away effectively

Quick-dry

TOECAP

Steel toecap, with latex liner for additional comfort

INSOCK

COMFYtech construction with "memory" keeping shape and comfort



Boston Mould



BOA PREMIUM COMBAT BOOT

CODE: 58-31593-01P

EN ISO 20345:2004




SERVICE



SOLE INFORMATION

- ◆ FQHOO@ Sdbgmknkfx oqn♀kd
- ◆ SHOK Technology shock absorbing heel
- ◆ Double density polyurethane(PU) sole
- ◆ Anti-static
- ◆ Oil resistant
- ◆ Excellent slip resistance, SRC highest rating
- ◆ Excellent abrasion resistance
- ◆ Resistant to certain chemical products
- ◆ Lifted toe spring aids walking
- ◆ Self cleaning cleats
- ◆ Raised toe bumper for shock absorption



UPPER

Combination leather & synthetic
Padded bellows tongue
Side zip & velcro closure for ease of wear
4 pairs round eyelet & 5 pairs D-ring lace-up

LINING

Textile mesh, wicks perspiration away effectively
Quick dry

TOECAP

None

INSOCK

COMFYtech construction with "memory"
keeping shape and comfort

PENETRATION RESISTANT MIDSOLE

Kevlar midsole to protect against puncture
hmitqhadr- Khfgsvdhfgs % ♂dwhakd vhsg adssdq
coverage than steel midsoles



Boston Mould



IMPI BOOT

CODE: 45-31549

EN ISO 20345:2004



SERVICE



SOLE INFORMATION

- Single density polyurethane(PU) sole
- Anti-static
- Oil resistant
- Excellent slip resistance, SRC highest rating
- Excellent abrasion resistance



UPPER

Canvas upper

Padded bellows tongue & collar for comfort

10 pairs round eyelet lace-up system

LINING

Textile mesh, wicks perspiration away effectively

Quick-dry

TOECAP

None

INSOCK

COMFYtech construction with “memory” keeping shape and comfort.



PARABAT UNIFORM SHOE

CODE: 29747



SERVICE



SOLE INFORMATION

- Rubber sole with solid rubber heel
- Stitched & bonded
- Oil resistant



UPPER

Full grain smooth hi-shine leather
Re-inforced toe bumper to keep shape
4 pairs round eyelets for laces

LINING

Leather lining

TOECAP

None



FOR MAXIMUM COMFORT WE
RECOMMEND THESE SOCKS FOR
USE WITH SAFETY FOOTWEAR



ANTI-STATIC, ANTI-BACTERIAL, AWESOME MAMMOTH ANTI-BACTERIAL SOCKS!

AVAILABLE IN
LONGER CALF
LENGTH SOCK
& SHORT ANKLE
SOCK



FEATURES

Sock composition: 80% COTTON, 13% NYLON, 5% POLYESTER, 2% ELASTHANE
This fabric is treated with Resil, HPJC, N9 Pure Silver™ for moisture management and anti-static.

Reinforced at heel and toe for added comfort & durability.

Anti-static thread conducts static electricity away from foot through sock and into safety shoe Anti-bacterial for good foot health.

Style: Available in 2 styles - short ankle sock and longer calf length sock

Sizes: Medium, Large and X Large